

LYCORES MACHINERY INDUSTRIAL HOLDING CO., LIMITED

检测记录
(Test Results)客户代码 : 1230
(Customer Code)订单号 : LYCORES121168125
(Order No.)规格: SE9A-61-R-24HL. 50. 200
(Specification)

产品序列号(Serial No.)	SE9A 12121	电机序列号(Motor Serial No.)	20121130003	
成品检验记录 (Finished product inspection records)				
检测项目 (Item)	初检合格 (是/否) (original inspection)	整改措施 (action)	复检合格 (是/否) (recheck)	
间隙值是否符合要求 (Does Backlash meet Requirement?)	√	/	/	
标签内容是否正确 (Is label correct?)	√	/	/	
标签粘贴位置是否正确 (Is the location for label correct?)	√	/	/	
油漆整体色泽是否一致 (Is the painting colour even?)	√	/	/	
油漆厚度是否符合要求 (Is thickness of painting qualified?)	√	/	/	
电机型号是否正确 (Is the model of motor correct?)	√	/	/	
电机运转是否灵活 (Does the motor operate smoothly?)	√	/	/	
回转支承公英制是否正确 (Is metric or english slewing ring selected correctly?)	√	/	/	
基座油嘴是否安装 (Are Fittings fixed in the base?)	√	/	/	
回转支承钢印是否正确 (Is the stamping on the slewing ring correct?)	√	/	/	
回转支承内圈油嘴位置是否正确 (Are the locations of fittings correct?)	√	/	/	
回转支承内圈堵头装配位置是否正确 (Is the plug of fitting on inner ring correct?)	√	/	/	
装配螺钉是否锁紧 (Are mounting bolts tight and correct?)	√	/	/	
防锈油层是否均匀保护 (Is the preservative oil and grease applied evenly?)	√	/	/	
装箱位置是否保护正确 (Is the protection inside box correct?)	√	/	/	
其他问题 (Other concerns?)	√	/	/	
间隙处检验实测间隙记录 (Minimum backlash readings)	0.18	0.20	0.18	0.16
	0.22	0.27	0.28	0.28

检验结果(Judgement)	合格 (Qualified)	√
	不合格 (Unqualified)	
备注 (Remark):		

注 (Note): 合格(Qualified) (√) 不合格(Unqualified) (×)

检验员 (Inspector): Jack Da 日期 (Date): 14-Dec-2012

For and on behalf of

LYCORES MACHINERY INDUSTRIAL HOLDING CO., LIMITED

Authorized Signature(s)

LYCORES MACHINERY INDUSTRIAL HOLDING CO., LIMITED

检测记录
(Test Results)

客户代码 : 1230
(Customer Code)

订单号 : LYCORES121168125
(Order No.)

规格: SE9A-61-R-24HL. 50. 200
(Specification)

产品序列号(Serial No.)	SE9A 12122	电机序列号(Motor Serial No.)	20121130002
成品检验记录 (Finished product inspection records)			
检测项目 (Item)	初检合格 (是/否) (original inspection)	整改措施 (action)	复检合格 (是/否) (recheck)
间隙值是否符合要求 (Does Backlash meet Requirement?)	√	/	/
标签内容是否正确 (Is label correct?)	√	/	/
标签粘贴位置是否正确 (Is the location for label correct?)	√	/	/
油漆整体色泽是否一致 (Is the painting colour even?)	√	/	/
油漆厚度是否符合要求 (Is thickness of painting qualified?)	√	/	/
电机型号是否正确 (Is the model of motor correct?)	√	/	/
电机运转是否灵活 (Does the motor operate smoothly?)	√	/	/
回转支承公英制是否正确 (Is metric or english slewing ring selected correctly?)	√	/	/
基座油嘴是否安装 (Are Fittings fixed in the base?)	√	/	/
回转支承钢印是否正确 (Is the stamping on the slewing ring correct?)	√	/	/
回转支承内圈油嘴位置是否正确 (Are the locations of fittings correct?)	√	/	/
回转支承内圈堵头装配位置是否正确 (Is the plug of fitting on inner ring correct?)	√	/	/
装配螺钉是否锁紧 (Are mounting bolts tight and correct?)	√	/	/
防锈油层是否均匀保护 (Is the preservative oil and grease applied evenly?)	√	/	/
装箱位置是否保护正确 (Is the protection inside box correct?)	√	/	/
其他问题 (Other concerns?)	√	/	/
间隙处检验实测间隙记录 (Minimum backlash readings)	0.13	0.17	0.17
	0.17	0.20	0.21

检验结果(Judgement)	合格 (Qualified)	√
	不合格 (Unqualified)	
备注 (Remark):		

注 (Note): 合格(Qualified) (√) 不合格(Unqualified) (×) 检验员 (Inspector): Jack Dai 日期 (Date): 14-Dec-2012

For and on behalf of

LYCORES MACHINERY INDUSTRIAL HOLDING CO., LIMITED

Authorized Signature(s)

检测记录
(Test Results)客户代码 : 1230
(Customer Code)订单号 : LYCORES121168125
(Order No.)规格: SE9A-61-R-24HL. 50. 200
(Specification)

产品序列号 (Serial No.)	SE9A 12123		电机序列号 (Motor Serial No.)	
成品检验记录 (Finished product inspection records)				
检测项目 (Item)	初检合格 (是/否) (original inspection)		整改措施 (action)	复检合格 (是/否) (recheck)
间隙值是否符合要求 (Does Backlash meet Requirement?)	√		/	/
标签内容是否正确 (Is label correct?)	√		/	/
标签粘贴位置是否正确 (Is the location for label correct?)	√		/	/
油漆整体色泽是否一致 (Is the painting colour even?)	√		/	/
油漆厚度是否符合要求 (Is thickness of painting qualified?)	√		/	/
电机型号是否正确 (Is the model of motor correct?)	√		/	/
电机运转是否灵活 (Does the motor operate smoothly?)	√		/	/
回转支承公英制是否正确 (Is metric or english slewing ring selected correctly?)	√		/	/
基座油嘴是否安装 (Are Fittings fixed in the base?)	√		/	/
回转支承钢印是否正确 (Is the stamping on the slewing ring correct?)	√		/	/
回转支承内圈油嘴位置是否正确 (Are the locations of fittings correct?)	√		/	/
回转支承内圈堵头装配位置是否正确 (Is the plug of fitting on inner ring correct?)	√		/	/
装配螺钉是否锁紧 (Are mounting bolts tight and correct?)	√		/	/
防锈油层是否均匀保护 (Is the preservative oil and grease applied evenly?)	√		/	/
装箱位置是否保护正确 (Is the protection inside box correct?)	√		/	/
其他问题 (Other concerns?)	√		/	/
间隙处检验实测间隙记录 (Minimum backlash readings)	0.20	0.21	0.21	0.17
	0.17	0.20	0.20	0.20

检验结果 (Judgement)	合格 (Qualified)	√
	不合格 (Unqualified)	
备注 (Remark):		

注 (Note): 合格 (Qualified) (√)

不合格 (Unqualified) (×)

检验员 (Inspector): Jack Dai

日期 (Date): 14-Dec-2012

For and on behalf of

LYCORES MACHINERY INDUSTRIAL HOLDING CO., LIMITED

Authorized Signature(s)

检测记录
(Test Results)客户代码 : 1230
(Customer Code)订单号 : LYCORES121168125
(Order No.)规格: SE9A-61-R-24HL. 50. 200
(Specification)

产品序列号(Serial No.)	SE9A 12124		电机序列号 (Motor Serial No.)		20121130005	
成品检验记录 (Finished product inspection records)						
检测项目 (Item)	初检合格 (是/否) (original inspection)		整改措施 (action)		复检合格 (是/否) (recheck)	
间隙值是否符合要求 (Does Backlash meet Requirement?)	√		/		/	
标签内容是否正确 (Is label correct?)	√		/		/	
标签粘贴位置是否正确 (Is the location for label correct?)	√		/		/	
油漆整体色泽是否一致 (Is the painting colour even?)	√		/		/	
油漆厚度是否符合要求 (Is thickness of painting qualified?)	√		/		/	
电机型号是否正确 (Is the model of motor correct?)	√		/		/	
电机运转是否灵活 (Does the motor operate smoothly?)	√		/		/	
回转支承公英制是否正确 (Is metric or english slewing ring selected correctly?)	√		/		/	
基座油嘴是否安装 (Are Fittings fixed in the base?)	√		/		/	
回转支承钢印是否正确 (Is the stamping on the slewing ring correct?)	√		/		/	
回转支承内圈油嘴位置是否正确 (Are the locations of fittings correct?)	√		/		/	
回转支承内圈堵头装配位置是否正确 (Is the plug of fitting on inner ring correct?)	√		/		/	
装配螺钉是否锁紧 (Are mounting bolts tight and correct?)	√		/		/	
防锈油层是否均匀保护 (Is the preservative oil and grease applied evenly?)	√		/		/	
装箱位置是否保护正确 (Is the protection inside box correct?)	√		/		/	
其他问题 (Other concerns?)	√		/		/	
间隙处检验实测间隙记录 (Minimum backlash readings)	0.25	0.25	0.21	0.18		
	0.22	0.25	0.26	0.26		

检验结果(Judgement)	合格 (Qualified)	√
	不合格 (Unqualified)	
备注 (Remark):		

注 (Note): 合格 (Qualified) (√) 不合格 (Unqualified) (×)

检验员 (Inspector): Jack Dai 日期 (Date): 14-Dec-2012

For and on behalf of

LYCORES MACHINERY INDUSTRIAL HOLDING CO., LIMITED

Authorized Signature(s)

检测记录
(Test Results)客户代码 : 1230
(Customer Code)订单号 : LYCORES121168125
(Order No.)规格: SE9A-61-R-24HL. 50. 200
(Specification)

产品序列号 (Serial No.)	SE9A 12125		电机序列号 (Motor Serial No.)		20121130001
成品检验记录 (Finished product inspection records)					
检测项目 (Item)	初检合格 (是/否) (original inspection)		整改措施 (action)		复检合格 (是/否) (recheck)
间隙值是否符合要求 (Does Backlash meet Requirement?)	√		/		/
标签内容是否正确 (Is label correct?)	√		/		/
标签粘贴位置是否正确 (Is the location for label correct?)	√		/		/
油漆整体色泽是否一致 (Is the painting colour even?)	√		/		/
油漆厚度是否符合要求 (Is thickness of painting qualified?)	√		/		/
电机型号是否正确 (Is the model of motor correct?)	√		/		/
电机运转是否灵活 (Does the motor operate smoothly?)	√		/		/
回转支承公英制是否正确 (Is metric or english slewing ring selected correctly?)	√		/		/
基座油嘴是否安装 (Are Fittings fixed in the base?)	√		/		/
回转支承钢印是否正确 (Is the stamping on the slewing ring correct?)	√		/		/
回转支承内圈油嘴位置是否正确 (Are the locations of fittings correct?)	√		/		/
回转支承内圈堵头装配位置是否正确 (Is the plug of fitting on inner ring correct?)	√		/		/
装配螺钉是否锁紧 (Are mounting bolts tight and correct?)	√		/		/
防锈油层是否均匀保护 (Is the preservative oil and grease applied evenly?)	√		/		/
装箱位置是否保护正确 (Is the protection inside box correct?)	√		/		/
其他问题 (Other concerns?)	√		/		/
间隙处检验实测间隙记录 (Minimum backlash readings)	0.14	0.16	0.16	0.16	
	0.16	0.18	0.18	0.16	

检验结果 (Judgement)	合格 (Qualified)	√
	不合格 (Unqualified)	
备注 (Remark):		

注 (Note): 合格 (Qualified) (√) 不合格 (Unqualified) (×)

检验员 (Inspector): Jack Dai 日期 (Date): 14-Dec-2012

For and on behalf of

LYCORES MACHINERY INDUSTRIAL HOLDING CO., LIMITED

Authorized Signature(s)

检测记录
(Test Results)客户代码 : 1230
(Customer Code)订单号 : LYCORES121168125
(Order No.)规格: SE9A-61-R-24HL. 50. 200
(Specification)

产品序列号 (Serial No.)	SE9A 12126		电机序列号 (Motor Serial No.)		20121130006
成品检验记录 (Finished product inspection records)					
检测项目 (Item)	初检合格 (是/否) (original inspection)		整改措施 (action)		复检合格 (是/否) (recheck)
间隙值是否符合要求 (Does Backlash meet Requirement?)	√		/		/
标签内容是否正确 (Is label correct?)	√		/		/
标签粘贴位置是否正确 (Is the location for label correct?)	√		/		/
油漆整体色泽是否一致 (Is the painting colour even?)	√		/		/
油漆厚度是否符合要求 (Is thickness of painting qualified?)	√		/		/
电机型号是否正确 (Is the model of motor correct?)	√		/		/
电机运转是否灵活 (Does the motor operate smoothly?)	√		/		/
回转支承公英制是否正确 (Is metric or english slewing ring selected correctly?)	√		/		/
基座油嘴是否安装 (Are Fittings fixed in the base?)	√		/		/
回转支承钢印是否正确 (Is the stamping on the slewing ring correct?)	√		/		/
回转支承内圈油嘴位置是否正确 (Are the locations of fittings correct?)	√		/		/
回转支承内圈堵头装配位置是否正确 (Is the plug of fitting on inner ring correct?)	√		/		/
装配螺钉是否锁紧 (Are mounting bolts tight and correct?)	√		/		/
防锈油层是否均匀保护 (Is the preservative oil and grease applied evenly?)	√		/		/
装箱位置是否保护正确 (Is the protection inside box correct?)	√		/		/
其他问题 (Other concerns?)	√		/		/
间隙处检验实测间隙记录 (Minimum backlash readings)	0.28	0.28	0.28	0.23	
	0.25	0.25	0.25	0.28	

检验结果 (Judgement)	合格 (Qualified)	√
	不合格 (Unqualified)	
备注 (Remark):		

注 (Note): 合格 (Qualified) (√) 不合格 (Unqualified) (×)

检验员 (Inspector): Jack Dai 日期 (Date): 14-Dec-2012

For and on behalf of

LYCORES MACHINERY INDUSTRIAL HOLDING CO., LIMITED

Authorized Signature(s)